

SAFETY DATA SHEET Holts Brake Cleaner

SECTION 1: Identification of th	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Holts Brake Cleaner
Product number	52460600131, 72460500136, HMTN0101A, PRO25A, 52460601131, 52460602131
Synonyms; trade names	PRO25A
UFI	UFI: M0Y5-M02H-S00D-W310
EU REACH registration notes	This is a MIXTURE; no registration information contained in this document. Holts are classed as Downstream User.
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Car maintenance product. Cleaning agent.
1.3. Details of the supplier of the	ne safety data sheet
Supplier	Holt Lloyd Services 52 Rue des 40 Mines, 60000 – Allonne, France Phone: +33 (0)3 64 99 00 32 info@holtsauto.com
Contact person	Contact email address: info@holtsauto.com
Manufacturer	Holt Lloyd International Ltd Barton Dock Road Stretford Manchester M32 0YQ - England, UK +44 (0) 161 866 4800 FAX +44 (0) 161 866 4854 www.holtsauto.com

1.4. Emergency telephone number

Emergency telephone

UK - 00 44 (0) 161 866 4800 Office hrs = 0900 - 1700 hrs

National emergency telephone	+43 1 31304 5620; chemikalien@umweltbundesamt.at (Austria)
number	+32022649636; info@poisoncentre.be (Belgium)
	+359 2 9154 409; poison_centre@mail.orbitel.bg (Bulgaria)
	+38514686910; toksikologija@hzjz.hr (Croatia)
	+35722405611; cy-chemregistry@dli.mlsi.gov.cy (Cyprus)
	+420267082257; biocidy@mzcr.cz (Czech Republic)
	+45 72 54 40 00; mst@mst.dk (Denmark)
	+372 794 3500; clp@terviseamet.ee, info@terviseamet.ee (Estonia)
	+358 5052 000; kirjaamo@tukes.fi (Finland)
	+ 33 3 83 85 21 92; bnpc@chru-nancy.fr (France)
	+49-30-18412-0;
	+302106479250; +302106479450; devxp.gcsl@aade.gr, environment.gcsl@aade.gr (Greece)
	+36 (1) 476 1135; clp.ca@nnk.gov.hu (Hungary)
	+354 543 22 22; eitur@landspitali.is (Iceland)
	+353 (1) 809 2166 / +353 (1) 809 2566; chemicalsinfo@beaumont.ie (Ireland)
	+390649906140; inscweb@iss.it (Italy)
	+371 67032600; lvgmc@lvgmc.lv (Latvia)
	+370 70662008; aaa@aaa.am.lt (Lithuania)
	+320 22649636; +352 24785551; info@poisoncentre.be; direction-sante@ms.etat.lu
	(Luxembourg)
	+356 2395 2000; info@mccaa.org.mt (Malta)
	+31 88 75 585 61; productnotificatie@umcutrecht.nl (The Netherlands)
	+4573580500; produktregisteret@miljodir.no / +47 21 07 70 00; folkehelseinstituttet@fhi.no
	(Norway)
	+48 42 2538 400; biuro@chemikalia.gov.pl (Poland)
	+351 800 250 250; ciav.tox@inem.pt (Portugal)
	+40213183606; infotox@insp.gov.ro (Romania)
	+7 495 621 6885; +7 495 628 1687; rtiac@mail.ru; rtiac2003@yahoo.com (Russia)
	+421 2 5465 2307; ntic@ntic.sk (Slovakia)
	+ 386 1 522 1293; gp.ukc@kclj.si (Slovenia)
	+34 917689800; intcf.doc@justicia.es (Spain)
	+46104566750; giftinformation@gic.se (Sweden)
	+44 121 507 4123; allistervale@npis.org, sallybradberry@npis.org (UK)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720) Physical hazards

Physical hazards	Aerosol 1 - H222, H229
Health hazards	Skin Irrit. 2 - H315 STOT SE 3 - H336
Environmental hazards	Aquatic Chronic 2 - H411
2.2. Label elements	
Hazard pictograms	
	¥2

Signal word

Danger

Hazard statements	H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P211 Do not spray on an open flame or other ignition source. P273 Avoid release to the environment. P251 Do not pierce or burn, even after use. P261 Avoid breathing spray. P302+P352 IF ON SKIN: Wash with plenty of water. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/ container in accordance with national regulations.
UFI	UFI: M0Y5-M02H-S00D-W310
Contains	Hydrocarbons, C6, isoalkanes, <5% n-hexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Detergent labelling	≥ 30% aliphatic hydrocarbons
Supplementary precautionary statements	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P332+P313 If skin irritation occurs: Get medical advice/ attention.
2.3. Other hazards	

SECTION 3:	Composition/information on ingredients	
	somposition/information on ingredients	

3.2. Mixtures

Hydrocarbons, C6, isoalkanes, <5% n-hexane 25		25-50%
CAS number: 64742-49-0	EC number: 931-254-9	
Classification		
Flam. Liq. 2 - H225		
Skin Irrit. 2 - H315		
STOT SE 3 - H336		
Asp. Tox. 1 - H304		
Aquatic Chronic 2 - H411		
<u> </u>		
Hydrocarbons, C7, n-alkanes, iso	alkanes, cyclics	25-50%
Hydrocarbons, C7, n-alkanes, iso CAS number: 64742-49-0	alkanes, cyclics EC number: 927-510-4	25-50%
-		25-50%
CAS number: 64742-49-0		25-50%
CAS number: 64742-49-0 Classification		25-50%
CAS number: 64742-49-0 Classification Flam. Liq. 2 - H225		25-50%
CAS number: 64742-49-0 Classification Flam. Liq. 2 - H225 Skin Irrit. 2 - H315		25-50%

BUTANE		5-10%
CAS number: 106-97-8	EC number: 203-448-7	
Classification		
Flam. Gas 1A - H220		
Press. Gas		
PROPANE		5-10%
CAS number: 74-98-6	EC number: 200-827-9	
Classification		
Flam. Gas 1A - H220		
ISOBUTANE		1-5%
CAS number: 75-28-5	EC number: 200-857-2	
Classification		
Flam. Gas 1A - H220		
Press. Gas		

SECTION 4: First aid measures

rest in a position comfortable for breathing. Do not induce vomiting. Never give anything by mouth to an unconscious person. Do not induce vomiting.Skin contactWash skin thoroughly with soap and water. Get medical attention if any discomfort continuesEye contactRemove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.4.2. Most important symptoms and effects, both acute and delayed General informationTreat symptomatically.InhalationVapours may cause headache, fatigue, dizziness and nausea.IngestionMay cause discomfort if swallowed.Skin contactCauses skin irritation. Prolonged or repeated exposure may cause severe irritation.	Inhalation	Move affected person to fresh air at once. Keep affected person warm and at rest. Get medical attention immediately.
Eye contactRemove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.4.2. Most important symptoms and effects, both acute and delayed General informationTreat symptomatically.InhalationVapours may cause headache, fatigue, dizziness and nausea.IngestionMay cause discomfort if swallowed.Skin contactCauses skin irritation. Prolonged or repeated exposure may cause severe irritation.Eye contactMay be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation4.3. Indication of any immediate medical attention and special treatment needed	Ingestion	
water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.4.2. Most important symptoms and effects, both acute and delayed General informationTreat symptomatically.InhalationVapours may cause headache, fatigue, dizziness and nausea.IngestionMay cause discomfort if swallowed.Skin contactCauses skin irritation. Prolonged or repeated exposure may cause severe irritation.Eye contactMay be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation4.3. Indication of any immediate medical attention and special treatment needed	Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
General information Treat symptomatically. Inhalation Vapours may cause headache, fatigue, dizziness and nausea. Ingestion May cause discomfort if swallowed. Skin contact Causes skin irritation. Prolonged or repeated exposure may cause severe irritation. Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation 4.3. Indication of any immediate medical attention and special treatment needed	Eye contact	water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort
InhalationVapours may cause headache, fatigue, dizziness and nausea.IngestionMay cause discomfort if swallowed.Skin contactCauses skin irritation. Prolonged or repeated exposure may cause severe irritation.Eye contactMay be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation4.3. Indication of any immediate medical attention and special treatment needed	4.2. Most important sympto	oms and effects, both acute and delayed
IngestionMay cause discomfort if swallowed.Skin contactCauses skin irritation. Prolonged or repeated exposure may cause severe irritation.Eye contactMay be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation4.3. Indication of any immediate medical attention and special treatment needed	General information	Treat symptomatically.
Skin contact Causes skin irritation. Prolonged or repeated exposure may cause severe irritation. Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation 4.3. Indication of any immediate medical attention and special treatment needed	Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Eye contact May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation 4.3. Indication of any immediate medical attention and special treatment needed	Ingestion	May cause discomfort if swallowed.
4.3. Indication of any immediate medical attention and special treatment needed	Skin contact	Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.
	Eye contact	May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation
Notes for the doctor Treat symptomatically.	4.3. Indication of any immediate medical attention and special treatment needed	
	Notes for the doctor	Treat symptomatically.

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.	
5.3. Advice for firefighters		
Protective actions during firefighting	Move containers from fire area if it can be done without risk.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	otective equipment and emergency procedures	
Personal precautions	Avoid inhalation of vapours and contact with skin and eyes.	
6.2. Environmental precaution	IS	
Environmental precautions	Avoid release to the environment.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.	
6.4. Reference to other section	ns	
SECTION 7: Handling and sto	prage	
7.1. Precautions for safe hand	lling	
Usage precautions	Keep away from heat, sparks and open flame. Avoid spilling. Provide adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin and eyes.	
7.2. Conditions for safe storag	ge, including any incompatibilities	
Storage precautions	Do not expose to temperatures exceeding 50°C/122°F. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Storage class	Flammable compressed gas storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	Is/Personal protection	
8.1. Control parameters		
Occupational exposure limits BUTANE		
Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³ Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³		
ISOBUTANE		
Long-term exposure limit (8-hour TWA): OES 800 ppm Short-term exposure limit (15-minute): OES 800 ppm WEL = Workplace Exposure Limit.		

Hydrocarbons, C6, isoalkanes, <5% n-hexane (CAS: 64742-49-0)

DNEL	Workers - Inhalation; Long term systemic effects: 1286.4 mg/m ³ Workers - Inhalation; Long term local effects: 837.5 mg/m ³ Workers - Inhalation; Short term local effects: 1066.67 mg/m ³ General population - Inhalation; Long term systemic effects: 1152 mg/m ³ General population - Inhalation; Long term local effects: 178.57 mg/m ³
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS: 64742-49-0)
DNEL	Workers - Inhalation; Long term systemic effects: 2085 mg/m ³ Workers - Dermal; Long term systemic effects: 300 mg/kg/day General population - Inhalation; Long term systemic effects: 447 mg/m ³ General population - Dermal; Long term systemic effects: 149 mg/kg/day General population - Oral; Long term systemic effects: 149 mg/kg/day
8.2. Exposure controls	
Protective equipment	
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Rubber (natural, latex). To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Do not smoke in work area. Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	sical and chemical properties
Appearance	Aerosol.
Colour	Colourless.
Odour	Hydrocarbons.
Flash point	< 0°C Closed cup.
Relative density	0.672 @ 20°C
Auto-ignition temperature	200°C
9.2. Other information Volatile organic compound	This product contains a maximum VOC content of 97 %.
SECTION 10: Stability and re	activity
10.1. Reactivity	

Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposing aerosol containers to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Acids. Alkalis. Oxidising agents.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Carbon dioxide (CO2). Carbon monoxide (CO).
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	ical effects
Toxicological effects	Information given is based on data of the components and of similar products.
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure	
STOT - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Not relevant.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea. Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations. May cause eye and respiratory system irritation. Symptoms following overexposure may include the following: Headache.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. Prolonged or repeated exposure may cause severe irritation.
Eye contact	May be slightly irritating to eyes. Prolonged or repeated exposure may cause severe irritation.
Route of exposure	Inhalation Skin and/or eye contact

Toxicological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Acute toxicity - oral		
Notes (oral LD₅₀)	LD₅₀ > 16750 mg/kg, Oral, Rat	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	LD₅₀ 3350 mg/kg, Dermal, Rabbit	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	LC50 259354 mg/m³, Inhalation, Rat	
Skin corrosion/irritation		
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation		
Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation		
Respiratory sensitisation	No information available.	
Skin sensitisation		
Skin sensitisation	Not sensitising.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Negative.	
Genotoxicity - in vivo	Negative.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met. NOAEC 31680 mg/m³, Inhalation, Mouse	
Reproductive toxicity		

Reproductive toxicity - fertility	Two-generation study - NOAEC 31680 mg/m³, Inhalation, Rat F1, F2
Specific target organ toxicit	y - single exposure
STOT - single exposure	May cause drowsiness or dizziness.
Specific target organ toxicit	ty - repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	May be fatal if swallowed and enters airways.
Inhalation	May cause drowsiness or dizziness.
Ingestion	May be fatal if swallowed and enters airways.
Skin contact	May be slightly irritating to skin.
Eye contact	May be slightly irritating to eyes.
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ > 5840 mg/kg, Oral, Rat
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ > 2920 mg/kg, Dermal, Rat
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC50 > 23300 mg/m³, Inhalation, Rat
Skin corrosion/irritation	
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritati	on
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	No information available.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Negative with metabolic activation. Negative without metabolic activation.
Genotoxicity - in vivo	No specific test data are available.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Fertility - NOAEC 31680 mg/m³, Inhalation, Rat F1, F2

	Specific target organ toxicity - single exposure	
	STOT - single exposure	Central and/or peripheral nervous system damage.
	Specific target organ toxicit	y - repeated exposure
	STOT - repeated exposure	Based on available data the classification criteria are not met.
	Aspiration hazard	
	Aspiration hazard	May be fatal if swallowed and enters airways.
	Inhalation	May cause drowsiness or dizziness.
	Ingestion	May be fatal if swallowed and enters airways.
	Skin contact	Causes skin irritation.
	Eye contact	May be slightly irritating to eyes.
	Target organs	Central nervous system
		BUTANE
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
	Species	Rat
		PROPANE
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
	Species	Rat
	ATE oral (mg/kg)	5,000.0
		ISOBUTANE
	Acute toxicity - oral	
	Acute toxicity oral (LD₅₀ mg/kg)	5,000.0
	Species	Rat
	ATE oral (mg/kg)	5,000.0
SECTION 1	2: Ecological information	

Ecotoxicity

Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Ecological information on ingredients.

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Acute aquatic toxicity

Acute toxicity - fish

LC50, 96 hours: 18.27 mg/l, QSAR

Acute to inverteb	oxicity - aquatic rates	EC₅₀, 48 hours: 31.9 mg/l, QSAR
Acute to plants	oxicity - aquatic	EL50, 72 hours: 13.56 mg/l, QSAR
Acute to microor	oxicity - ganisms	EL50, 48 hours: 15.81 mg/l, QSAR
Chronic	aquatic toxicity	
Chronic life stag	• •	NOELR, 28 days: 4.089 mg/l, QSAR
Chronic inverteb	toxicity - aquatic rates	NOELR, 21 days: 7.138 mg/l, QSAR
		Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Acute a	quatic toxicity	
	xicity - fish	LL₅₀, 96 hours: 13.4 mg/l, Oncorhynchus mykiss (Rainbow trout)
Acute to inverteb	oxicity - aquatic rates	EC₅₀, 48 hours: 3 mg/l, Daphnia magna NOEL, 48 hours: 2 mg/l, Daphnia magna
Acute to plants	oxicity - aquatic	EL50, 72 hours: 10 mg/l, Raphidocelis subcapitata NOEL, 72 hours: 6.3 mg/l, Raphidocelis subcapitata
Acute to microor	•	EL50, 48 hours: 26.81 mg/l, Tetrahymena pyriformis
Chronic	aquatic toxicity	
Chronic life stag		NOELR, 28 days: 1.534 mg/l, QSAR
Chronic inverteb	toxicity - aquatic rates	NOELR, 21 days: 1 mg/l,
12.2. Persistence and	d degradability	
Ecological information on ingredients.		
		Hydrocarbons, C6, isoalkanes, <5% n-hexane
Persiste degrada	nce and bility	98% 28 days Rapidly degradable
		Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Persiste degrada	nce and bility	98% 28 days Rapidly degradable
12.3. Bioaccumulative potential Ecological information on ingredients.		
		Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Bioaccu	mulative potential	No information available.
	l coefficient	Scientifically unjustified. UVCB
12.4. Mobility in soil		

Mobility	The product contains organic solvents which will evaporate easily from all surfaces.	
12.5. Results of PBT and v	PvB assessment	
Ecological information on in	ngredients.	
	Hydrocarbons, C6, isoalkanes, <5% n-hexane	
Results of PB assessment	T and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.	
	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	
Results of PB assessment	T and vPvB This substance is not classified as PBT or vPvB according to current UK criteria.	
12.6. Other adverse effects	5	
Other adverse effects	None known.	
SECTION 13: Disposal cor	isiderations	
13.1. Waste treatment met	hods	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers must not be punctured or incinerated because of the risk of an explosion. Avoid the spillage or runoff entering drains, sewers or watercourses.	
SECTION 14: Transport inf	formation	
14.1. UN number		
UN No. (ADR/RID)	1950	
UN No. (IMDG)	1950	
UN No. (ICAO)	1950	
UN No. (ADN)	1950	
14.2. UN proper shipping n	ame	
Proper shipping name (ADR/RID)	AEROSOLS	
Proper shipping name (IMI	DG) AEROSOLS (CONTAINS Hydrocarbons, C6, isoalkanes, <5% n-hexane, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics)	
Proper shipping name (ICA	O) AEROSOLS	
Proper shipping name (AD	N) AEROSOLS	
14.3. Transport hazard clas	ss(es)	
ADR/RID class	2.1	
ADR/RID classification cod	e 5F	
ADR/RID label	2.1	
IMDG class	2.1	
ICAO class/division	2.1	
ADN class	2.1	

Transport labels



14.4. Packing group

ADR/RID packing group	None
IMDG packing group	None
ICAO packing group	None
ADN packing group	None

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate. BOD: Biochemical Oxygen Demand. CAS: Chemical Abstracts Service. DNEL: Derived No Effect Level. ECse: 50% of maximal Effective Concentration. GHS: Globally Harmonized System. IARC: International Agency for Research on Cancer. IATA: International Maritime Dangerous Goods. LCAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. LC50: Lethal Concentration to 50 % of a test population. LD50: Lethal Dose to 50% of a test population. LDAEC: Lowest Observed Adverse Effect Concentration. LOAEC: Lowest Observed Adverse Effect Level. NOAEC: No Observed Adverse Effect Level. NOEC: No Observed Adverse Effect Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. SVHC: Substances of Very High Concern. UVCB - Unknown or variable composition, complex reaction products or Biological materials. vPvB: Very Persistent and Very Bioaccumulative.
Classification procedures according to SI 2019 No. 720	Aerosol 1 - H222, H229: Calculation method. Skin Irrit. 2 - H315: Calculation method. STOT SE 3 - H336: Calculation method. Aquatic Chronic 3 - H412: Calculation method.
Issued by	Regulatory Specialist
Revision date	05/10/2022
Revision	21
Supersedes date	08/12/2021
SDS number	12870
Hazard statements in full	 H220 Extremely flammable gas. H222 Extremely flammable aerosol. H225 Highly flammable liquid and vapour. H229 Pressurised container: may burst if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.